

24.02.2026

Certificate of Analysis

From 10.02.2026 to 24.02.2026 We examined on behalf of company Nullure Greenhale Nutrition S.L., Calle Provença, 247 2o 2a, 08008 Barcelona, SPANIEN with our test report number 3742924-883541 with the sample code "Testo-One" for the following parameters:

- Acenaphthene
- Acenaphthylene
- Aerobic mesophilic plate count (total plate count)
- Aflatoxine B1
- Aflatoxine B2
- Aflatoxine G1
- Aflatoxine G2
- Aluminium (Al)
- Anthracene
- Arsenic (As)
- Benzo(a)anthracene
- Benzo(a)pyrene
- Benzo(b)fluoranthene
- Benzo(g,h,i)perylene
- Benzo(k)fluoranthene
- Cadmium (Cd)
- Chrysene
- Dibenzo-(a,h)-Anthracene
- Echimidine
- Echimidine-N-oxid
- Echinatin-N-Oxid
- Enterobacteriaceae
- Erucifoline
- Erucifoline-N-oxid
- Escherichia coli
- Europine
- Europine-N-oxid
- Fluoranthene
- Fluorene
- Heliosupin
- Heliosupin-N-Oxid
- Heliotrine
- Heliotrine-N-oxide
- Indeno-(1,2,3-cd)-Pyren
- Intermedine-N-oxide/Indicine-N-oxide
- Intermedin/Lycopsamin/Rinderin/Indicin/Echinatin
- Jacobine
- Jacobine-N-oxide
- Lasiocarpine
- Lasiocarpine-N-oxide
- Lead (Pb)
- Lycopsamine-N-oxide
- Mercury (Hg)
- Monocrotaline
- Monocrotaline-N-oxide
- Moulds
- Naphthalene
- Ochratoxine A
- Phenanthrene
- Pyrene
- Retrorsine/Usaramine
- Retrorsin-N-Oxid/Usaramin-N-Oxid
- Rinderin-N-Oxid
- Salmonella spp
- Senecionine
- Senecionin-N-Oxid/Integerrimin-N-Oxid
- Seneciphyllin-N-Oxid/Spartioidin-N-Oxid
- Seneciphyllin/Spartioidin
- Senecivernine-N-oxide
- Senecivernin/Integerrimin
- Senkirkine
- Staphylococcus, coagulase-positive
- Sum aflatoxines
- Sum of pyrrolizidine alkaloids, Reg. (EU) 2023/915
- Sum Pyrrolizidine alkaloids
- Trichodesmine
- Yeasts

With regard to the above-mentioned, investigated parameters and taking into account the measurement uncertainties, tolerances, processing procedures and the currently applicable limits/recomm. values, the analyzed sample (test item) was found according to the above mentioned test report from our point of view as marketable in Germany

The complete statement on conformity including the applied decision rule is documented in the above-mentioned test report.

24.02.2026



AGROLAB GROUP
Your labs. Your service.



Service-Team L2

E-Mail ServiceTeamL2.lufa@agrolab.de

Group leader: Annika Luderer

Food chemist/counter-sampling expert

This Certificate of Analysis may be published by you in unaltered, unabridged form. The date of the Certificate of Analysis must also be stated.

Any other use and in particular duplication of this Certificate of Analysis is not permitted. This certificate of analysis does not replace the test report and is only valid in connection with this report. Any liability arising from improper use and in particular duplication of this Certificate of Analysis is excluded.

Incidentally, our General Terms and Conditions apply: <https://www.agrolab.com/de/agb>